




BZL Nozzles




Stock Code	Description	Bore Size	Model
A B1430-P	Conical	11mm/7/16"	SB120A




Stock Code	Description	Bore Size	Model
B B1430-S	Spot Push On	13mm/1/2"	SB120A




Stock Code	Description	Bore Size	Model
C B1430	Conical Screw	11mm/7/16"	SB120A
B1430L	Conical Long	11mm/7/16"	SB120A




Stock Code	Description	Bore Size	Model
D B1529	Cylindrical	16mm/5/8"	SB140A, SB150A
B1530	Conical	12mm/15/32"	SB140A, SB150A
ECO1530	Everyday Conical	12mm/15/32"	ECR150A
B1531	Tapered	11mm/7/16"	SB140A, SB150A



Stock Code	Description	Bore Size	Model
E B1532	Bottle	13mm/1/2"	SB140A, SB150A




Stock Code	Description	Bore Size	Model
F B1533	Spot	16mm/5/8"	SB140A, SB150A




Stock Code	Description	Bore Size	Model
G B2415	Cylindrical	17mm/11/16"	SB230A, SB240A, SB240W
B2416	Conical	13mm/1/2"	SB230A, SB240A, SB240W
B2417	Tapered	10mm/3/8"	SB230A, SB240A, SB240W

Roll Marking


All Parweld consumables are roll marked to enable you to identify genuine Parweld product.




Stock Code	Description	Bore Size	Model
H B2507	Cylindrical	18mm/5/7"	SB250A, SB350W
B2508	Conical	15mm/19/32"	SB250A, SB350W
B2509	Tapered	12mm/15/32"	SB250A, SB350W
ECO2507	Everyday Cylindrical	18mm/5/7"	ECR250A
ECO2508	Everyday Conical	15mm/19/32"	ECR250A
ECO2509	Everyday Tapered	12mm/15/32"	ECR250A




Stock Code	Description	Bore Size	Model
I B2510	Bottle	15mm/19/32"	SB250A, SB350W



Stock Code	Description	Bore Size	Model
J B2511	Spot	18mm/5/7"	SB250A, SB350W




Stock Code	Description	Bore Size	Model
K B3615	Cylindrical	19mm/3/4"	SB360A
B3616	Conical	16mm/5/8"	SB360A
B3617	Tapered	12mm/15/32"	SB360A
ECO3615	Everyday Cylindrical	19mm/3/4"	ECR360A
ECO3616	Everyday Conical	16mm/5/8"	ECR360A
ECO3617	Everyday Tapered	12mm/15/32"	ECR360A




Stock Code	Description	Bore Size	Model
L B4017	Conical	18mm/5/7"	SB400A



Stock Code	Description	Bore Size	Model
M B5027	Cylindrical	19mm/3/4"	SB380A-501W
B5028	Conical	16mm/5/8"	SB380A-501W
B5029	Tapered	14mm/9/16"	SB380A-501W
ECO5027	Everyday Cylindrical	19mm/3/4"	ECR501W
ECO5028	Everyday Conical	16mm/5/8"	ECR501W
ECO5029	Everyday Tapered	14mm/9/16"	ECR501W




Stock Code	Description	Bore Size	Model
N B5028HD	HD Conical	16mm/5/8"	SB380A-501W




Stock Code	Description	Bore Size	Model
O B6004	Conical	20mm/25/32"	SB610A, SB610W
B6005	Cylindrical	23mm/29/32"	SB610A, SB610W


BZL Contact Tips




Stock Code	Description	Wire Size	Material	Model
A B1427-06	Contact Tip	0.6mm/.023"	ECu	SB120A
B1427-08	Contact Tip	0.8mm/.030"	ECu	SB120A
B1427-10	Contact Tip	1.0mm/.040"	ECu	SB120A



Stock Code	Description	Wire Size	Material	Model
B B1527-06	Contact Tip	0.6mm/.023"	ECu	SB140A, SB150A
ECO1527-06	Everyday Tip	0.6mm/.023"	ECu	SB140A, SB150A
B1527-08	Contact Tip	0.8mm/.030"	ECu	SB140A, SB150A
ECO1527-08	Everyday Tip	0.8mm/.030"	ECu	SB140A, SB150A
B1527-09	Contact Tip	0.9mm/.035"	ECu	SB140A, SB150A
B1527-10	Contact Tip	1.0mm/.040"	ECu	SB140A, SB150A
B1527-12	Contact Tip	1.2mm/.045"	ECu	SB140A, SB150A




Stock Code	Description	Wire Size	Material	Model
C B2504-06	Contact Tip	0.6mm/.023"	ECu	SB230A-350W
B2504-08	Contact Tip	0.8mm/.030"	ECu	SB230A-350W
ECO2504-08	Everyday Tip	0.8mm/.030"	ECu	SB230A-350W
B2504-09	Contact Tip	0.9mm/.035"	ECu	SB230A-350W
B2504-10	Contact Tip	1.0mm/.040"	ECu	SB230A-350W
ECO2504-10	Everyday Tip	1.0mm/.040"	ECu	SB230A-350W
B2504-12	Contact Tip	1.2mm/.045"	ECu	SB230A-350W
ECO2504-12	Everyday Tip	1.2mm/.045"	ECu	SB230A-350W
B2504-14	Contact Tip	1.4mm/.055"	ECu	SB230A-350W
B2504-16	Contact Tip	1.6mm/1/16"	ECu	SB230A-350W
B2504-08CR	Contact Tip CR	0.8mm/.030"	ECu	SB230A-350W
B2504-10CR	Contact Tip CR	1.0mm/.040"	ECu	SB230A-350W
B2504-12CR	Contact Tip CR	1.2mm/.045"	ECu	SB230A-350W
B2504-10A	Contact Tip Al	1.0mm/.040"	ECu	SB230A-350W
B2504-12A	Contact Tip Al	1.2mm/.045"	ECu	SB230A-350W
B2504-16A	Contact Tip Al	1.6mm/1/16"	ECu	SB230A-350W




Stock Code	Description	Wire Size	Material	Model
D B2505-08	Contact Tip	0.8mm/.030"	CuCrZr	SB230A-350W
ECO2505-08	Everyday Tip	0.8mm/.030"	CuCrZr	SB230A-350W
B2505-09	Contact Tip	0.9mm/.035"	CuCrZr	SB230A-350W
B2505-10	Contact Tip	1.0mm/.040"	CuCrZr	SB230A-350W
ECO2505-10	Everyday Tip	1.0mm/.040"	CuCrZr	SB250A
B2505-12	Contact Tip	1.2mm/.045"	CuCrZr	SB230A-350W
ECO2505-12	Everyday Tip	1.2mm/.045"	CuCrZr	SB250A
B2505-16	Contact Tip	1.6mm/1/16"	CuCrZr	SB230A-350W

Roll Marking


All Parweld consumables are roll marked to enable you to identify genuine Parweld product.



Stock Code	Description	Wire Size	Material	Model
E B4014-08	Contact Tip	0.8mm/.030"	ECu	SB360A-SB501W
B4014-09	Contact Tip	0.9mm/.035"	ECu	SB360A-SB501W
B4014-10	Contact Tip	1.0mm/.040"	ECu	SB360A-SB501W
ECO4014-10	Everyday Tip	1.0mm/.040"	ECu	SB360A-SB501W
B4014-12	Contact Tip	1.2mm/.045"	ECu	SB360A-SB501W
ECO4014-12	Everyday Tip	1.2mm/.045"	ECu	SB360A-SB501W
B4014-14	Contact Tip	1.4mm/.055"	ECu	SB360A-SB501W
B4014-16	Contact Tip	1.6mm/1/16"	ECu	SB360A-SB501W
ECO4014-16	Everyday Tip	1.6mm/1/16"	ECu	SB360A-SB501W
B4014-20	Contact Tip	2.0mm/5/64"	ECu	SB360A-SB501W
B4014-24	Contact Tip	2.4mm/3/32"	ECu	SB360A-SB501W
B4014-10CR	Contact Tip CR	1.0mm/.040"	ECu	SB360A-SB501W
B4014-12CR	Contact Tip CR	1.2mm/.045"	ECu	SB360A-SB501W
B4014-10A	Contact Tip Al	1.0mm/.040"	ECu	SB360A-SB501W
B4014-12A	Contact Tip Al	1.2mm/.045"	ECu	SB360A-SB501W
B4014-16A	Contact Tip Al	1.6mm/1/16"	ECu	SB360A-SB501W




Stock Code	Description	Wire Size	Material	Model
F B4015-08	Contact Tip	0.8mm/.030"	CuCrZr	SB360A-SB501W
B4015-10	Contact Tip	1.0mm/.040"	CuCrZr	SB360A-SB501W
B4015-12	Contact Tip	1.2mm/.045"	CuCrZr	SB360A-SB501W
B4015-14	Contact Tip	1.4mm/.055"	CuCrZr	SB360A-SB501W
B4015-16	Contact Tip	1.6mm/1/16"	CuCrZr	SB360A-SB501W
B4015-24	Contact Tip	2.4mm/3/32"	CuCrZr	SB360A-SB501W




Stock Code	Description	Wire Size	Material	Model
G B6015-14	Contact Tip	1.4mm/.055"	CuCrZr	SB610A, SB610W
B6015-16	Contact Tip	1.6mm/1/16"	CuCrZr	SB610A, SB610W
B6015-20	Contact Tip	2.0mm/5/64"	CuCrZr	SB610A, SB610W
B6015-24	Contact Tip	2.4mm/3/32"	CuCrZr	SB610A, SB610W
B6015-28	Contact Tip	2.8mm/7/64"	CuCrZr	SB610A, SB610W
B6015-32	Contact Tip	3.2mm/1/8"	CuCrZr	SB610A, SB610W


BZL Tip Adaptors




Stock Code	Description	Tip Thread	Neck Thread	Length	Model
A B1507 L/H	Tip Adaptor	M6	M8x1 L/H	42mm/1.65"	SB150A
B1507	Tip Adaptor	M6	M8x1	34mm/1.34"	SB140A




Stock Code	Description	Tip Thread	Neck Thread	Model
B B2412	Tip Adaptor	M6	M6	SB230A, SB240A/W




Stock Code	Description	Tip Thread	Neck Thread	Model
C B2506	Tip Adaptor	M6	M8	SB250A, SB350W
ECO2506	Everyday Adaptor	M6	M8	SB250A, SB350W




Stock Code	Description	Tip Thread	Neck Thread	Model
D B2536	Tip Adaptor	M8	M8	SB250A, SB350W




Stock Code	Description	Tip Thread	Neck Thread	Model
E B2612	Tip Adaptor	M6	M8	SB260A
B2612M8	Tip Adaptor	M8	M8	SB260A




Stock Code	Description	Tip Thread	Neck Thread	Length	Model
F B3612	Tip Adaptor	M6	M8	28.5mm/1.12"	SB360A
ECO3612	Everyday Adaptor	M6	M8	28.5mm/1.12"	SB360A
B3613	Tip Adaptor	M6	M8	31.5mm/1.24"	SB360A
B3614	Tip Adaptor	M8	M8	28.5mm/1.12"	SB360A
ECO3614	Everyday Adaptor	M8	M8	28.5mm/1.12"	SB360A




Stock Code	Description	Tip Thread	Neck Thread	Model
G B3812	Tip Adaptor	M8	M10 x 1	SB380A



Stock Code	Description	Tip Thread	Neck Thread	Model
H B4005	Tip Adaptor	M8	M8	SB400A



Stock Code	Description	Tip Thread	Neck Thread	Model
I B5001	Tip Adaptor	M8	M10 x 1	SB401W, SB501W
ECO5001	Everyday Adaptor	M8	M10 x 1	SB401W, SB501W




Stock Code	Description	Tip Thread	Neck Thread	Model
J B6003	Tip Adaptor	M8	M10 x 1	SB610A, SB610W
B6003M10	Tip Adaptor	M10	M10 x 1	SB610A, SB610W


Roll Marking

All Parweld consumables are roll marked to enable you to identify genuine Parweld product.


BZL Gas Diffusers




Stock Code	Description	Colour	Model
A B2405B	Gas Diffuser	Black	SB240A, SB240W
B2405C	Gas Diffuser	Ceramic	SB240A, SB240W
B2405W	Gas Diffuser	White	SB240A, SB240W




Stock Code	Description	Colour	Model
B B2605B	Gas Diffuser	Black	SB260A
B2605C	Gas Diffuser	Ceramic	SB260A
B2605W	Gas Diffuser	White	SB260A




Stock Code	Description	Colour	Model
C B3605B	Gas Diffuser	Black	SB360A
B3605C	Gas Diffuser	Ceramic	SB360A
B3605W	Gas Diffuser	White	SB360A



Stock Code	Description	Colour	Model
D B4003B	Gas Diffuser	Black	SB400A
B4003C	Gas Diffuser	Ceramic	SB400A



Stock Code	Description	Colour	Model
E B5005B	Gas Diffuser	Black	SB380A, SB401W, SB501W
B5005C	Gas Diffuser	Ceramic	SB380A, SB401W, SB501W
B5005W	Gas Diffuser	White	SB380A, SB401W, SB501W



Stock Code	Description	Colour	Model
F B6002C	Gas Diffuser	Ceramic	SB610A, SB610W

Roll Marking

All Parweld consumables are roll marked to enable you to identify genuine Parweld product.

